


1/9







FIG. 2B

FIG. 2A

3/9



Lane	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30
GAPDH-	45	44	26	37	28	39	114	39	174	65	154	57	89	59	54	44	63	26	39	10	17	(Phosphorimager								
α1(I)-	46	4	3	0	6	3	120	6	24	3	46	8	43	60	61	35	54	6	1	1	2	units X10 ⁻³)								


1.0 0.1 0.0 0.02 0.1 1.1 0.2 0.1 0.0 0.3 0.1 0.5 1.0 1.1 0.8 0.9 0.2 0.0 0.1 0.1 Ratio: α1(I)/GAPDH

FIG. 3A



Title: Muting Gene Activity using a Transgenic
Nucleic Acid
Inventor(s): Bahramian et al.
Application No.: 09/472,558
Docket No.: 2498/101
Page 4 of 9

4/9





Title: Muting Gene Activity using a Transgenic
Nucleic Acid
Inventor(s): Bahramian et al.
Application No.: 09/472,558
Docket No.: 2498/101
Page 5 of 9

5/9




FIG. 4





FIG. 5





8/9




FIG. 6C

9/9




FIG. 7